



The Clorox Company

1221 Broadway
Oakland, CA 94612
Tel. 1-510-271-7000

**Material Safety
Data Sheet**

I Product: CLOROX® OXI MAGIC™ MULTI-PURPOSE STAIN REMOVER (LIQUID)										
Description: CLEAR, COLORLESS, THIN LIQUID WITH A FRUITY, FLORAL ODOR										
	Distributor									
	Clorox Sales Company 1221 Broadway Oakland, CA 94612									
	Emergency Telephone Nos.									
	For Medical Emergencies, call 1-800-446-1014. For Transportation Emergencies, call 1-800-424-9300 (Chemtrec).									
II Health Hazard Data	III Hazardous Ingredients									
<p>Eye irritant. This product contains hydrogen peroxide, which may cause temporary skin irritation or skin whitening after prolonged contact with the concentrated product.</p> <p>No medical conditions are known to be aggravated by exposure to this product.</p> <p>FIRST AID:</p> <p>EYE CONTACT: Flush with water for 15 minutes. If irritation persists, call a doctor.</p> <p>SKIN CONTACT: Rinse with plenty of water. If irritation persists, call a doctor.</p> <p>INGESTION: Drink a glassful of water. Call a doctor or poison control center.</p> <p>INHALATION: Remove to fresh air. If breathing problems develop, call a doctor.</p>	<table border="1"> <thead> <tr> <th>Ingredient</th> <th>Concentration</th> <th>Worker Exposure Limit</th> </tr> </thead> <tbody> <tr> <td>Hydrogen peroxide CAS # 7722-84-1</td> <td>1 - 5%</td> <td>1 ppm - TLV-TWA^a 1 ppm - PEL^b</td> </tr> <tr> <td>Isopropyl alcohol CAS #67-63-0</td> <td>0.5 - 2%</td> <td>200 ppm - TLV-TWA^a 400 ppm - PEL^b 400 ppm - TLV-STEL^c</td> </tr> </tbody> </table> <p>^aTLV-TWA = ACGIH Threshold Limit Value - Time Weighted Average. ^bPEL = OSHA Permissible Exposure Limit - Time Weighted Average. ^cTLV-STEL = ACGIH Threshold Limit Value - Short Term Exposure Limit</p> <p>None of the materials in this product are on the IARC, OSHA, or NTP carcinogen lists.</p>	Ingredient	Concentration	Worker Exposure Limit	Hydrogen peroxide CAS # 7722-84-1	1 - 5%	1 ppm - TLV-TWA ^a 1 ppm - PEL ^b	Isopropyl alcohol CAS #67-63-0	0.5 - 2%	200 ppm - TLV-TWA ^a 400 ppm - PEL ^b 400 ppm - TLV-STEL ^c
Ingredient	Concentration	Worker Exposure Limit								
Hydrogen peroxide CAS # 7722-84-1	1 - 5%	1 ppm - TLV-TWA ^a 1 ppm - PEL ^b								
Isopropyl alcohol CAS #67-63-0	0.5 - 2%	200 ppm - TLV-TWA ^a 400 ppm - PEL ^b 400 ppm - TLV-STEL ^c								
IV Special Protection and Precautions	V Transportation and Regulatory Data									
<p>Hygienic Practices: Wash hands after direct contact.</p> <p>Engineering Controls: Use general ventilation to minimize exposure to product mist.</p> <p>Personal Protective Equipment: Wear safety glasses. Wear rubber or neoprene gloves for sensitive skin or if there is the potential for prolonged skin contact. In situations where exposure limits may be exceeded, a NIOSH-approved respirator is advised.</p>	<p>DOT/IATA/IMDG: Not restricted.</p> <p>EPA - SARA Title III/CERCLA: This product is regulated under Sections 311/312. This product contains no chemicals that are regulated under Section 313 or under Section 304/CERCLA.</p> <p>TSCA 8(b): All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt from listing.</p> <p>TSCA 12(b): This product is not subject to TSCA 12(b) reporting requirements.</p>									
VI Spill Procedures/Waste Disposal	VII Reactivity Data									
<p>Spill Procedures: Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material.</p> <p>Waste Disposal: Dispose of in accordance with all applicable federal, state, and local regulations.</p>	<p>Stable under normal use and storage conditions.</p>									
VIII Fire and Explosion Data	IX Physical Data									
<p>Not flammable or explosive.</p>	<p>pH..... 5 - 6</p> <p>Specific gravity.....~1.0</p> <p>Solubility in waterSoluble</p>									