

ABSOLUTE COATINGS, INC.
38 Portman Road
New Rochelle, NY 10801
(800) 221-8010 (914) 636-0700

MATERIAL SAFETY DATA SHEET

Last n Last Polyurethane Wood Finish Gloss

QUICK IDENTIFIER

Health	2	Reactivity	0
Flammability	2	Protective Equipment	G

EMERGENCY PHONE # FOR CHEMICAL SPILLS, LEAKS, OR EXPOSURE:

CHEMTEL: 800-255-3924 (24 HRS.) Nat'l. Poison Control Center: 800-222-1222

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.

HAZARDOUS MATERIALS INFORMATION LABEL (HMIS)

HAZARDOUS CODE: 4 = Extreme, 3 = High, 2 = Moderate, 1 = Slight, 0 = Insignificant

PERSONAL PROTECTION: G = Synthetic Apron & Gloves + Chemical Respirator

Prepared By: *Mike Lazar*

Date: 2003

SECTION II

HAZARDOUS INGREDIENTS

Hazardous Components (chemical & common names).

Chemical	Common	OSHA PEL ppm-TWA	ACGIH TLV ppm-TWA	Other Expo- sure Limits	CAS NO.
Aliphatic Hydro Carbon	Exempt Mineral Spirits	100	100		8052-41-3

SECTION III

PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point (°F):	312°-385°
Vapor Pressure (mm Hg):	3 mm Hg @ 68°F
Vapor Density:	Heavier than air.
Reactivity in Water:	None.
Solubility in Water:	Negligible.
Appearance and Odor:	Clear, amber liquid, mild odor
Specific Gravity (H2O)=1):	0.88-0.91

SECTION IV

FIRE & EXPLOSION DATA

Flash Point (°F):	104°
Method Used:	TCC
Flammable Limits in Air % by Volume:	
LEL Lower:	0.77
UEL	6
Auto Ignition Temperature:	475°
Extinguisher Media:	Foam, CO2, Dry Chemical, Sand
Special Firefighting Procedures:	Use of Self Contained Breathing Apparatus is recommended for fire fighters. Avoid spreading burning liquid with water for cooling purposes.
Unusual Fire and Explosion Hazards:	Keep work areas free of hot metal surfaces and other sources of ignition. COMBUSTIBLE.

SECTION V**PHYSICAL HAZARDS (REACTIVITY DATA)**

Stability:	Stable under normal storage and use.
Conditions to avoid:	Heat, sparks, open flame and fire.
Incompatibility (Materials To Avoid):	Strong oxidizing agents like bleach, hydrogen peroxide. Prevent contact with zinc, magnesium and galvanized metals.
Hazardous Decomposition Products:	Thermal decomp. may yield carbon monoxide.
Hazardous Polymerization:	Will not occur.

SECTION VI**HEALTH HAZARDS**

Signs and Symptoms of Exposure:	Severe eye irritation. Excessive inhalation may cause headache, dizziness, & nausea. Respiratory tract irritation. Prolonged or repeated contact may cause skin irritation.
Medical Conditions Generally Aggravated By Exposure:	
Carcinogens / Potential Carcinogens:	None.
National Toxicology Program:	No.
I.A.R.C. Monographs:	No.
OSHA	No.
Emergency and First Aid Procedures:	
Eye contact:	Flush with water.
Skin contact:	Wash with mild soap and water.
Inhalation:	Remove to fresh air and call physician.
Ingestion:	DO NOT INDUCE VOMITING. CONTACT PHYSICIAN

SECTION VII**SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES**

Precautions To Be Taken In Handling And Storage:	Keep away from heat, spark, open flame. use with adequate ventilation. Avoid prolonged or repeated contact.
Other Precautions:	Face and hand protection recommended.
Steps To Be Taken In Case Material Is Released Or Spilled:	Avoid exposure to sparks/fire/hot metal. Provide ventilation & respiratory protection if required.
Waste Disposal Methods: (Consult federal, state and local regulations)	Incinerate under safe conditions or dispose of in accordance with local, state and federal regulations.

SECTION VIII**SPECIAL PROTECTION INFORMATION/CONTROL MEASURES**

Respiratory Protection (specify type)	Self contained breathing apparatus for concentration above TLV.
Ventilation:	Yes.
Local Exhaust:	Yes.
Mechanical (General):	Yes.
Protective Gloves:	Chemical resistant or plastic.
Eye Protection:	Safety goggles.
Other Protective Clothing Or Equipment:	Eye bath and safety shower.
Work/Hygienic Practices	Avoid ingesting this product.